

[All Classes](#)

Packages

[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)

[Overview](#) [Package](#) [Class](#) [Use](#) [Tree](#) [Deprecated](#) [Index](#) [Help](#)

[PREV](#) [NEXT](#)

[FRAMES](#) [NO FRAMES](#)

How This API Document Is Organized

This API (Application Programming Interface) document has pages corresponding to the items in the navigation bar, described as follows.

Overview

The [Overview](#) page is the front page of this API document and provides a list of all packages with a summary for each. This page can also contain an overall description of the set of packages.

Package

Each package has a page that contains a list of its classes and interfaces, with a summary for each. This page can contain four categories:

- Interfaces (*italic*)
- Classes
- Enums
- Exceptions
- Errors
- Annotation Types

Class/Interface

Each class, interface, nested class and nested interface has its own separate page. Each of these pages has three sections consisting of a class/interface description, summary tables, and detailed member descriptions:

- Class inheritance diagram
- Direct Subclasses
- All Known Subinterfaces
- All Known Implementing Classes
- Class/interface declaration
- Class/interface description

• Nested Class Summary

[All Classes](#)[Packages](#)[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)

All Classes

[AdminConstants](#)[AdminUser](#)[AdminUtils](#)[AdminUtilsInitializer](#)[BootProtoConverter](#)[ConfigureSystem](#)[Dashboard](#)[EditHost](#)[EditNetwork](#)[EditPassword](#)[EditPhysicalInterface](#)[EditVirtualInterface](#)[EthernetInterface](#)[EthernetInterface.BootProt](#)[EthernetInterface.Interface](#)[EthernetInterface.State](#)[EthernetManager](#)[EthernetManagerImpl](#)[GeneralSettings](#)[GenerateXml](#)[HostAndDomainName](#)[HostAndDomainNameMgr](#)[HostAndDomainNameMngr](#)[Interfaces](#)[PasswordManager](#)[PasswordManagerImpl](#)[PhysicalInterface](#)[Overview](#) [Package](#) [Class](#) [Use](#) [Tree](#) [Deprecated](#) [Index](#) [Help](#)[PREV](#) [NEXT](#)[FRAMES](#) [NO FRAMES](#)

Cobia appliance

Packages

[org.stillsecure.cobia.module.admin.domain](#)[org.stillsecure.cobia.module.admin.manager](#)[org.stillsecure.cobia.module.admin.util](#)[org.stillsecure.cobia.module.admin.web](#)[Overview](#) [Package](#) [Class](#) [Use](#) [Tree](#) [Deprecated](#) [Index](#) [Help](#)[PREV](#) [NEXT](#)[FRAMES](#) [NO FRAMES](#)

[All Classes](#)

Packages

[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)
[org.stillsecure.cobia.modul](#)[All Classes](#)[AdminConstants](#)[AdminUser](#)[AdminUtils](#)[AdminUtilsInitializer](#)[BootProtoConverter](#)[ConfigureSystem](#)[Dashboard](#)[EditHost](#)[EditNetwork](#)[EditPassword](#)[EditPhysicalInterface](#)[EditVirtualInterface](#)[EthernetInterface](#)[EthernetInterface.BootProt](#)[EthernetInterface.Interface](#)[EthernetInterface.State](#)[EthernetManager](#)[EthernetManagerImpl](#)[GeneralSettings](#)[GenerateXml](#)[HostAndDomainName](#)[HostAndDomainNameMgr](#)[HostAndDomainNameMgrlr](#)[Interfaces](#)[PasswordManager](#)[PasswordManagerImpl](#)[PhysicalInterface](#)[Overview](#) [Package](#) [Class](#) [Use](#) [Tree](#) [Deprecated](#) [Index](#) [Help](#)[PREV PACKAGE](#) [NEXT PACKAGE](#)[FRAMES](#) [NO FRAMES](#)

Package org.stillsecure.cobia.module.admin.domain

Class Summary

AdminConstants	This is the constants class for the Admin module.
AdminUser	
EthernetInterface	This class represents an Ethernet interface on the appliance.
EthernetInterface.InterfaceNameComparatorAsc	A comparator class for interfaces names.
HostAndDomainName	This class represents the host and domain name of the appliance.
Interfaces	This class is a container class for all of the interfaces on an appliance.
PhysicalInterface	This class represents a physical interface of the appliance. This should hold all the interface data retrieved from parsing the output of the CommonOS ifconfig command and the file /etc/sysconfig/network-scripts/ifcfg-ethX.
StaticRoutes	This class contains the user defined static routes that a user is trying to add or remove.
UserDefinedIpAliases	This class holds UserDefinedHosts and/or UserDefinedNetworks and together these make up a valid set of user defined IP aliases.
UserDefinedStaticRoute	This class holds all of the data to describe a single static route.
VirtualInterface	This class represents a virtual interface on the appliance.

Enum Summary

EthernetInterface.BootProto	An enum representing the boot proto of this interface.
EthernetInterface.State	An enum representing the state of the EthernetInterface .